



**FAT**

**LIGHTING**

**Crafting the Future of Lighting**

**PRODUCT CATALOGUE 2026**

# OUR VISION

Our vision is to redefine modern illumination through innovative LED lighting solutions while empowering brands with high-quality OEM provider and precision-engineered LED fixtures, housings, and components. We aim to deliver performance, design, and reliability that inspire residential, commercial, and industrial spaces across India and beyond.

POWDER COATING  
DIE-CASTING

COB  
SPOT

STREET

MANUFACTURER

FLOOD  
LED

ROPE LIGHT

FIXTURES


OEM PROVIDER

OUTDOOR LIGHT



# FIXTURE/HOUSING SOLUTION

---



---

# LIGHTING/OEM SOLUTION

A photograph of a modern building at night, featuring a dark grey wall with a wall washer light fixture. The light fixture is illuminated, casting a warm glow on the wall. In the background, there are large glass windows reflecting the interior lights, and a set of concrete steps leading up to the building. The scene is lit with warm, ambient lighting, creating a sophisticated and modern atmosphere.

# OUTDOOR WALL WASHER

## RAZOR

110gm

CODE : FT-2630  
WATTAGE : 2W/6W  
HOUSING MATERIAL : Aluminium Die Cast  
DIMENSION : L-80xB-34xH-60mm  
LUMINAIRE FINISH : WH / BK / GREY  
IP RATING : IP65



## RAZOR

220gm

CODE : FT-2631  
WATTAGE : 4W/12W  
HOUSING MATERIAL : Aluminium Die Cast  
DIMENSION : 110x34x60mm  
LUMINAIRE FINISH : WH / BK / GREY  
IP RATING : IP65



## RAZOR

255gm


CODE : FT-2632  
WATTAGE : 6W/18W  
HOUSING MATERIAL : Aluminium Die Cast  
DIMENSION : 162x34x60mm  
LUMINAIRE FINISH : WH / BK / GREY  
IP RATING : IP65



## VERTICO

100gm

CODE	: FT-2633
WATTAGE	: 2W/6W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 90x40x50mm
LUMINAIRE FINISH	: BK/ BK+GD
IP RATING	: IP65



## VERTICO

180gm

CODE	: FT-2634
WATTAGE	: 3W/9W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 103x102x50mm
LUMINAIRE FINISH	: BK / BK+GD
IP RATING	: IP65

## VERTICO

200gm

CODE	: FT-2635
WATTAGE	: 6W/18W
HOUSING MATERIAL	: Aluminium Die
DIMENSION	: 90x165x50mm
LUMINAIRE FINISH	: BK / BK+GD
IP RATING	: IP65



# OUTDOOR WALL WASHER

# FAT LIGHTING

## OPAL 130gm

**CODE** : FT-2636  
**WATTAGE** : 2W/6W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 50x50x40mm  
**LUMINAIRE FINISH** : BK/ GREY  
**IP RATING** : IP65



## PENTA 65gm

**CODE** : FT-2637  
**WATTAGE** : 3W/9W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 40x40x40mm  
**LUMINAIRE FINISH** : BK / GREY  
**IP RATING** : IP65

## ARGO 250gm

**CODE** : FT-2638  
**WATTAGE** : 4W/12W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 62x50x55mm  
**LUMINAIRE FINISH** : BK / GREY  
**IP RATING** : IP65



[www.fatlighting.com](http://www.fatlighting.com)



# OUTDOOR WALL WASHER

# FAT LIGHTING

## PICTOR

90gm

CODE	: FT-2650
WATTAGE	: 2W/4W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 85x85x30mm
LUMINAIRE FINISH	: WH / BK / GREY
IP RATING	: IP65



## LEOR

220gm / 365gm

CODE	: FT-2641
WATTAGE	: 2*3W/6W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 143x80x55mm
LUMINAIRE FINISH	: BK / GREY
IP RATING	: IP65

## ALCOR

120gm / 210gm

CODE	: FT-2640
WATTAGE	: 3W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 80x50x55mm
LUMINAIRE FINISH	: BK / GREY
IP RATING	: IP65



[www.fatlighting.com](http://www.fatlighting.com)



## FELIS

120gm

CODE	: FT-2642
WATTAGE	: 3W/9W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 90x90x45mm
LUMINAIRE FINISH	: BK/ BK+GD
IP RATING	: IP65



## FELIS

125gm

CODE	: FT-2643
WATTAGE	: 4W/12W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 90x90x45mm
LUMINAIRE FINISH	: BK / BK+GD
IP RATING	: IP65

## FELIS

170gm

CODE	: FT-2644
WATTAGE	: 5W/15W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 115x115x45mm
LUMINAIRE FINISH	: BK / BK+GD
IP RATING	: IP65




# OUTDOOR WALL WASHER

# FAT LIGHTING

## OBERON

**140gm**

**CODE** : FT-2647  
**WATTAGE** : 4W/12W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 80x80x45mm  
**LUMINAIRE FINISH** : BK/ BK+GD  
**IP RATING** : IP65



## OBERON

**185gm**

**CODE** : FT-2648  
**WATTAGE** : 6W/18W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 80x125x45mm  
**LUMINAIRE FINISH** : BK / BK+GD  
**IP RATING** : IP65



## LEAF

**90gm**

**CODE** : FT-2649  
**WATTAGE** : 2W/6W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 123x73x30mm  
**LUMINAIRE FINISH** : BK / GREY/ GREEN  
**IP RATING** : IP65



## BOSCO

230gm

CODE	: FT-2658
WATTAGE	: 2W/4W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 105x105x80mm
LUMINAIRE FINISH	: WH / BK / GREY
IP RATING	: IP65



## BOSCO

185gm

CODE	: FT-2652
WATTAGE	: 2W/4W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 105x105x80mm
LUMINAIRE FINISH	: WH / BK / GREY
IP RATING	: IP65



## MALLOW

CODE	: FT-2657
WATTAGE	: 2W/4W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 95x45x50mm
LUMINAIRE FINISH	: BK / GREY
IP RATING	: IP65




# OUTDOOR WALL WASHER

# FAT LIGHTING

## VICOR

170gm

CODE : FT-2651  
WATTAGE : 6W/10W  
HOUSING MATERIAL : Aluminium Die Cast  
DIMENSION : 150x40x55mm  
LUMINAIRE FINISH : BK / BK+GD  
IP RATING : IP65



## KIARA

160gm

CODE : FT-2653  
WATTAGE : 5W/7W  
HOUSING MATERIAL : Aluminium Die Cast  
DIMENSION : 60x60x255mm  
LUMINAIRE FINISH : BK / GREY  
IP RATING : IP65

## KIARA

210gm

CODE : FT-2654  
WATTAGE : 9W/12W  
HOUSING MATERIAL : Aluminium Die Cast  
DIMENSION : 65x65x270mm  
LUMINAIRE FINISH : BK / GREY  
IP RATING : IP65



[www.fatlighting.com](http://www.fatlighting.com)



## MOON

330gm

CODE	: FT-2645
WATTAGE	: 2W/4W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 180x180x45mm
LUMINAIRE FINISH	: BK / GREY
IP RATING	: IP65



## COSMOS

260gm

CODE	: FT-2646
WATTAGE	: 6W/12W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	:
LUMINAIRE FINISH	: WH / BK / GREY
IP RATING	: IP65





# INDOOR LIGHT

# COB SPOT LIGHT

# FAT LIGHTING

## **DIOR** **100gm**

**CODE** : FT-2664  
**WATTAGE** : 6W/7W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 75X75X60mm  
**LUMINAIRE FINISH** : WH / BK / GREY  
**CUTOUT** : 68mm




## **DIOR** **140gm**

**CODE** : FT-2665  
**WATTAGE** : 12W/15W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 85X85X70mm  
**LUMINAIRE FINISH** : WH / BK / GREY  
**CUTOUT** : 78mm

## **DIOR** **205gm**

**CODE** : FT-2666  
**WATTAGE** : 16W/22W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 100X100X90mm  
**LUMINAIRE FINISH** : WH / BK / GREY  
**CUTOUT** : 92mm



[www.fatlighting.com](http://www.fatlighting.com)



# COB SPOT LIGHT

# FAT LIGHTING

## SPARKLE

120gm

- CODE : FT-2659
- WATTAGE : 6W/7W
- HOUSING MATERIAL : Aluminium Die Cast
- DIMENSION : 70x70x70mm
- LUMINAIRE FINISH : WH / BK / GREY
- CUTOUT : 60mm



## SPARKLE

200gm

- CODE : FT-2660
- WATTAGE : 12W/15W
- HOUSING MATERIAL : Aluminium Die Cast
- DIMENSION : 85x85x75mm
- LUMINAIRE FINISH : WH / BK / GREY
- CUTOUT : 75mm

## SPARKLE

250gm

- CODE : FT-2661
- WATTAGE : 18W/22W
- HOUSING MATERIAL : Aluminium Die Cast
- DIMENSION : 95x95x95mm
- LUMINAIRE FINISH : WH / BK / GREY
- CUTOUT : 85mm



[www.fatlighting.com](http://www.fatlighting.com)





**LEXUS**

**765gm**

- CODE** : FT-2662
- WATTAGE** : 50W
- HOUSING MATERIAL** : Aluminium Die Cast
- DIMENSION** : 160X160X130mm
- LUMINAIRE FINISH** : WH / BK / GREY
- CUTOUT** : 130mm



# COB SPOT LIGHT

# FAT LIGHTING

## ZIBAL

128gm

CODE	: FT-2656
WATTAGE	: 6W/12W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 330X90mm
LUMINAIRE FINISH	: WH / BK / GREY
IP RATING	: IP65



## CLEO

30gm

CODE	: FT-2663
WATTAGE	: 3W (SURFACE)
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 60X60X15mm
LUMINAIRE FINISH	: WH / BK / GREY
IP RATING	: IP65

## HEXA

175gm

CODE	: FT-2667
WATTAGE	: 5W/18W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 145X45X50mm
LUMINAIRE FINISH	: WH / BK / REF. GD
CUTOUT	: 140X37mm



[www.fatlighting.com](http://www.fatlighting.com)



## LARCH

220gm

CODE	: FT-2668
WATTAGE	: 2W/4W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 90X90X110mm
LUMINAIRE FINISH	: BK / REF. GD
IP RATING	: IP65



## LARCH



175gm

CODE	: FT-2670
WATTAGE	: 12W/15W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 75X75X120mm
LUMINAIRE FINISH	: BK / REF. GD
IP RATING	: IP65

## LARCH

110gm


CODE	: FT-2669
WATTAGE	: 6W/7W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 50X50X95mm
LUMINAIRE FINISH	: BK / REF. GD
IP RATING	: IP65



## AXEL

320gm


CODE	: FT-2672
WATTAGE	: 18W/22W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 95X95X120mm
LUMINAIRE FINISH	: BK / REF. GD
IP RATING	: IP65



## AXEL

200gm

CODE	: FT-2671
WATTAGE	: 12W/15W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 75X75X120mm
LUMINAIRE FINISH	: BK / REF. GD
IP RATING	: IP65



# LED TRACK SPOT LIGHT

# FAT LIGHTING

## RAIDEN

**100gm**

**CODE** : FT-2673  
**WATTAGE** : 6W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : H-100xOD-50mm  
**LUMINAIRE FINISH** : WH / BK  
**IP RATING** : IP65



## RAIDEN

**160gm**

**CODE** : FT-2674  
**WATTAGE** : 9W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : H-110xOD-50mm  
**LUMINAIRE FINISH** : WH / BK  
**IP RATING** : IP65

## RAIDEN

**425gm**

**CODE** : FT-2675  
**WATTAGE** : 16W/18W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : H-150xOD-70mm  
**LUMINAIRE FINISH** : WH / BK  
**IP RATING** : IP65



[www.fatlighting.com](http://www.fatlighting.com)



# LED TRACK SPOT LIGHT

# FAT LIGHTING

## RAIDEN

**750gm**

CODE	: FT-2676
WATTAGE	: 30W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: H-170xOD-100mm
LUMINAIRE FINISH	: WH / BK
IP RATING	: IP65



## SLIGO

**330gm**

CODE	: FT-2678
WATTAGE	: 16W/18W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: H-175xOD-175mm
LUMINAIRE FINISH	: WH / BK
IP RATING	: IP65

## RAIDEN

**950gm**

CODE	: FT-2677
WATTAGE	: 50W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: H-200xOD-120mm
LUMINAIRE FINISH	: WH / BK
IP RATING	: IP65



[www.fatlighting.com](http://www.fatlighting.com)





# LED STREET LIGHT

## RIGEL

**250gm**

**CODE** : FT-2679  
**WATTAGE** : 18W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 270X100X35mm  
**LUMINAIRE FINISH** : BK / GREY  
**IP RATING** : IP65



## RIGEL

**290gm**

**CODE** : FT-2680  
**WATTAGE** : 24W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 300X105X35mm  
**LUMINAIRE FINISH** : BK / GREY  
**IP RATING** : IP65

## RIGEL

**350gm**

**CODE** : FT-2681  
**WATTAGE** : 30W/36W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 340X120X40mm  
**LUMINAIRE FINISH** : BK / GREY  
**IP RATING** : IP65



## RIGEL

**930gm**

<b>CODE</b>	<b>: FT-2682</b>
<b>WATTAGE</b>	<b>: 50W/72W</b>
<b>HOUSING MATERIAL</b>	<b>: Aluminium Die Cast</b>
<b>DIMENSION</b>	<b>: 380X145X40mm</b>
<b>LUMINAIRE FINISH</b>	<b>: BK / GREY</b>
<b>IP RATING</b>	<b>: IP65</b>



## RIGEL

**930gm**

<b>CODE</b>	<b>: FT-2683</b>
<b>WATTAGE</b>	<b>: 100W/120W</b>
<b>HOUSING MATERIAL</b>	<b>: Aluminium Die Cast</b>
<b>DIMENSION</b>	<b>: 450X170X50mm</b>
<b>LUMINAIRE FINISH</b>	<b>: BK / GREY</b>
<b>IP RATING</b>	<b>: IP65</b>



A photograph of a large barn at night, illuminated by several bright LED floodlights. The barn's interior is visible through the open front, showing rows of stalls. The scene is set against a dark blue night sky. In the foreground, there is a grassy area with some bushes, some of which are also illuminated by small lights. A white title 'LED FLOOD LIGHT' is centered over the image, flanked by two horizontal white lines with diamond-shaped ends.

# LED FLOOD LIGHT

# LED FLOOD LIGHT

# FAT LIGHTING

## **BRIX** **350gm**

**CODE** : FT-2687  
**WATTAGE** : 50W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 222X190mm  
**LUMINAIRE FINISH** : WH / BK / GREY  
**IP RATING** : IP65



## **BRIX** **565gm**

**CODE** : FT-2688  
**WATTAGE** : 100W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 293X240mm  
**LUMINAIRE FINISH** : WH / BK / GREY  
**IP RATING** : IP65



## **BRIX** **970gm**

**CODE** : FT-2689  
**WATTAGE** : 200W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 345X295X50mm  
**LUMINAIRE FINISH** : WH / BK / GREY  
**IP RATING** : IP65



[www.fatlighting.com](http://www.fatlighting.com)



## ARCH

350gm

CODE	: FT-2690
WATTAGE	: 50W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 245X190X45mm
LUMINAIRE FINISH	: WH / BK / GREY
IP RATING	: IP65



## ARCH

525gm

CODE	: FT-2691
WATTAGE	: 100W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 295X220X45mm
LUMINAIRE FINISH	: WH / BK / GREY
IP RATING	: IP65



# LED FLOOD LIGHT

# FAT LIGHTING

## **KAITOS** 270/410/565gm

**CODE** : FT-2692  
**WATTAGE** : 50W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 225X235mm  
**LUMINAIRE FINISH** : WH / BK / GREY  
**IP RATING** : IP65



## **KAITOS** 350/435/540/1060gm

**CODE** : FT-2693  
**WATTAGE** : 100W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 350X370mm  
**LUMINAIRE FINISH** : WH / BK / GREY  
**IP RATING** : IP65

## **KAITOS** 700/1800gm

**CODE** : FT-2694  
**WATTAGE** : 200W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 350X370mm  
**LUMINAIRE FINISH** : WH / BK / GREY  
**IP RATING** : IP65



[www.fatlighting.com](http://www.fatlighting.com)




# LED FLOOD LIGHT

# FAT LIGHTING

## NAVIS

385gm

CODE	: FT-2695
WATTAGE	: 100W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 225X260mm
LUMINAIRE FINISH	: WH / BK / GREY
IP RATING	: IP65



## NAVIS

670gm

CODE	: FT-2696
WATTAGE	: 200W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: 315X320mm
LUMINAIRE FINISH	: WH / BK / GREY
IP RATING	: IP65



## PC FLOOD

CODE	: FT-2710
WATTAGE	: 30W
HOUSING MATERIAL	: Aluminium Die Cast
DIMENSION	: H-5xW-1xL-5cm
LUMINAIRE FINISH	: BK / GREY
IP RATING	: IP65



[www.fatlighting.com](http://www.fatlighting.com)



# LED FLOOD LIGHT

# FAT LIGHTING

## **DAZZLE** 270/410/565gm

**CODE** : FT-2718  
**WATTAGE** : 50W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 225X235mm  
**LUMINAIRE FINISH** : WH / BK / GREY  
**IP RATING** : IP65



## **DAZZLE** 350/435/540/1060gm

**CODE** : FT-2719  
**WATTAGE** : 100W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 350X370mm  
**LUMINAIRE FINISH** : WH / BK / GREY  
**IP RATING** : IP65

## **DAZZLE** 700/1800gm

**CODE** : FT-2720  
**WATTAGE** : 200W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 350X370mm  
**LUMINAIRE FINISH** : WH / BK / GREY  
**IP RATING** : IP65



[www.fatlighting.com](http://www.fatlighting.com)



# LED FLOOD LIGHT

# FAT LIGHTING

## **ERIC** **240gm**

**CODE** : FT-2697  
**WATTAGE** : 20W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 140X125mm  
**LUMINAIRE FINISH** : BK / GREY  
**IP RATING** : IP65



## **ERIC** **560gm**

**CODE** : FT-2699  
**WATTAGE** : 50W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 225X225mm  
**LUMINAIRE FINISH** : BK / GREY  
**IP RATING** : IP65

## **ERIC** **290gm**

**CODE** : FT-2698  
**WATTAGE** : 30W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 180X180mm  
**LUMINAIRE FINISH** : BK / GREY  
**IP RATING** : IP65



[www.fatlighting.com](http://www.fatlighting.com)



# LED FLOOD LIGHT

# FAT LIGHTING

## ERIC 970gm

**CODE** : FT-2700  
**WATTAGE** : 100W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 285X270mm  
**LUMINAIRE FINISH** : BK / GREY  
**IP RATING** : IP65



## ERIC 2400gm

**CODE** : FT-2702  
**WATTAGE** : 200W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 330X365mm  
**LUMINAIRE FINISH** : BK / GREY  
**IP RATING** : IP65

## ERIC 1600gm

**CODE** : FT-2701  
**WATTAGE** : 150W  
**HOUSING MATERIAL** : Aluminium Die Cast  
**DIMENSION** : 285X285mm  
**LUMINAIRE FINISH** : BK / GREY  
**IP RATING** : IP65



[www.fatlighting.com](http://www.fatlighting.com)



## GRAPHENE MIAMI

CODE	: FT-2713
WATTAGE	: 100W
HOUSING MATERIAL	: Graphene
DIMENSION	: 285X270mm
LUMINAIRE FINISH	: WH / BK / GREY
IP RATING	: IP66



## GRAPHENE MIAMI

CODE	: FT-2714
WATTAGE	: 200W
HOUSING MATERIAL	: Graphene
DIMENSION	: 330X365mm
LUMINAIRE FINISH	: WH / BK / GREY
IP RATING	: IP66



## GRAPHENE LENS LOCK

CODE	: FT-2715
WATTAGE	: 100W
HOUSING MATERIAL	: Graphene
DIMENSION	: 285X270mm
LUMINAIRE FINISH	: WH / BK / GREY
IP RATING	: IP66



## GRAPHENE LENS LOCK

CODE	: FT-2716
WATTAGE	: 200W
HOUSING MATERIAL	: Graphene
DIMENSION	: 330X365mm
LUMINAIRE FINISH	: WH / BK / GREY
IP RATING	: IP66



# LED PAAR CAN

## Illuminate Every Detail Beautifully

Weather Resistant Design

└ Wider Angle

▬ Premium Aluminium Body

💧 IP65 Rating



## DOUBLE HANDLE PAAR

- CODE : FT-2707
- WATTAGE : 6W/9W/16W/30W/50W
- HOUSING MATERIAL : Aluminium Die Cast
- LUMINAIRE FINISH : WH / BK
- IP RATING : IP65



## ROUND PAAR

- CODE : FT-2717
- WATTAGE : 50W
- HOUSING MATERIAL : Aluminium Die Cast
- LUMINAIRE FINISH : WH / BK
- IP RATING : IP65



## GLORY

CODE : FT-2708  
HOUSING MATERIAL : Aluminium Die Cast  
LUMINAIRE FINISH : BK



## GLORY

CODE : FT-2709  
HOUSING MATERIAL : Polycarbonate  
LUMINAIRE FINISH : BK



# FAT LIGHTING



## MULTI COLOR LED TUBE LIGHT

ITEM NO. : FL-2711  
RATING : IP65  
Material : Plastic  
INPUT VOLTAGE : AC220-240V 50/60Hz  
COLOR : RGB

## ST64

ITEM NO. : FL-2712  
RATING : IP65  
INPUT VOLTAGE : AC220-240V 50/60Hz  
COLOR : Warm White






# SMD ROPE LIGHT



# FAT LIGHTING

## SMD ROPE LIGHT




ONE CONNECTING CORD IN EACH ROLL

ITEM NO.	: FL-2835-120 LED
WIDTH	: 12mm (OD)
RATING	: IP44
PCB	: COPPER
LUMEN FLUX	: 100lm/w
SURFACE COLOR	: WHITE SURFACE
INPUT VOLTAGE	: AC220-240V 50/60Hz
COLOR	: WHITE / WARM WHITE / BLUE / GREEN / RED / PINK / PURPLE





# FAT LIGHTING

## SMD ROPE LIGHT



ONE CONNECTING CORD IN EACH ROLL

ITEM NO.	: FL-2835-120 LED
WIDTH	: 8mm (OD)
RATING	: IP44
PCB	: COPPER
LUMEN FLUX	: 80lm/w
SURFACE COLOR	: WHITE SURFACE
INPUT VOLTAGE	: AC220-240V 50/60Hz
COLOR	: WHITE / WARM WHITE / BLUE / GREEN / RED / PINK / PURPLE



# FAT LIGHTING



## RUNNING ROPE

ITEM NO. : FL-2719  
RATING : IP44  
PCB : Copper  
INPUT VOLTAGE : AC220-240V 50/60Hz  
COLOR : WHITE / WARM WHITE /  
BLUE / GREEN / RED /  
PINK / PURPLE



## TIRANGA ROPE

ITEM NO. : FL-2720  
RATING : IP44  
INPUT VOLTAGE : AC220-240V 50/60Hz  
COLOR : Tiranga





Manufactured By:

**Future and Technologies (India)**

Unit 1 : HSIIDC, Plot No. - 262, Phase 5, Sec 56, kundli  
Sonipat, Haryana - 131028

Unit 2 : HSIIDC, Plot No. - 254, Phase 5, Sec 56, kundli  
Sonipat, Haryana - 131028

Phone No.: +91 9891411623, 9953604003

Email : info@fatlighting.com

**FAT**  
**LIGHTING**



**[www.fatlighting.com](http://www.fatlighting.com)**